

#### REMEMEBER THESE SHORTCUTS

Find action	<b>⌘⇧A</b>
Basic code completion	<b>⌘Space</b>
Smart code completion	<b>⌘⇧Space</b>
Show intentions and quick-fixes	<b>⌘↵</b>
Generate code	<b>⌘N, ⌘↵</b>
Parameter info	<b>⌘P</b>
Shrink selection	<b>⌘↓</b>
Extend selection	<b>⌘↑</b>
Recent files popup	<b>⌘E</b>
Rename	<b>⇧F6</b>
Search everywhere	<b>Double⇧</b>

#### GENERAL

Open corresponding tool window	<b>⌘O...⌘9</b>
Save all	<b>⌘S</b>
Synchronize	<b>⌘⌘Y</b>
Toggle maximizing editor	<b>⌘⇧F12</b>
Inspect current file	<b>⌘⇧I</b>
Quick switch current scheme	<b>⌘\$, ⌘'</b>
Open settings dialog	<b>⌘,</b>

#### SEARCH / REPLACE

Find / Replace	<b>⌘F / ⌘R</b>
Find next / previous	<b>⌘G / ⌘⇧G</b>
Find in path	<b>⌘⇧F</b>
Replace in path	<b>⌘⇧R</b>
Select next / all occurrences	<b>⌘G / ⌘⇧G</b>
Unselect occurrence	<b>⌘G</b>

#### DEBUGGING

Step into / Smart step into	<b>F7 / ⇧F7</b>
Step over / out	<b>F8 / ⇧F8</b>
Run to cursor	<b>⌘F9</b>
Evaluate expression	<b>⌘F8</b>
Resume program	<b>⌘⌘R</b>
Toggle breakpoint	<b>⌘F8</b>
View breakpoints	<b>⌘⇧F8</b>

#### EDITING

Complete statement	<b>⌘⇧↵</b>
Quick documentation lookup	<b>⌘J</b>
External doc	<b>⇧F1</b>
Brief info	<b>⌘mouse</b>
Show descriptions of error at caret	<b>⌘F1</b>
Override / implement methods	<b>⌘O / ⌘I</b>
Surround with...	<b>⌘⌘T</b>
Comment with line comment	<b>⌘/</b>
Comment with block comment	<b>⌘⌘/</b>
Context info	<b>⌘⇧Q</b>
Reformat code	<b>⌘⌘L</b>
Optimize imports	<b>⌘⌘O</b>
Auto-indent line	<b>⌘⌘I</b>
Indent / unindent selected lines	<b>⇧⇧ / ⇧⇧⇧⇧</b>
Cut current line to clipboard	<b>⌘X</b>
Copy current line to clipboard	<b>⌘C</b>
Paste from clipboard	<b>⌘V</b>
Paste from recent buffers...	<b>⌘⇧V</b>
Duplicate current line	<b>⌘D</b>
Delete line at caret	<b>⌘⌘⌘</b>
Smart line join	<b>⌘⇧J</b>
Smart line split	<b>⌘↵</b>
Start new line	<b>⇧↵</b>
Toggle case	<b>⌘⇧U</b>
Select till code block start	<b>⌘⇧[</b>
Select till code block end	<b>⌘⇧]</b>
Delete to word end	<b>⌘⌘⌘</b>
Delete to word start	<b>⌘⌘⌘</b>
Expand / collapse code block	<b>⌘+ / ⌘-</b>
Expand all	<b>⌘⇧+</b>
Collapse all	<b>⌘⇧-</b>
Close active editor tab	<b>⌘W</b>
Surround with live template	<b>⌘⌘J</b>
Insert live template	<b>⌘J</b>

#### REFACTORING

Copy	<b>F5</b>
Move	<b>F6</b>
Refactor this	<b>⌘T</b>
Extract method	<b>⌘⌘M</b>
Extract variable	<b>⌘⌘V</b>

#### NAVIGATION

Go to class	<b>⌘O</b>
Go to file	<b>⌘⇧O</b>
Go to symbol	<b>⌘⌘O</b>
Go to next / previous editor tab	<b>⌘← / ⌘→</b>
Go back to previous tool window	<b>F12</b>
Go to editor (from tool window)	<b>⌘</b>
Hide active or last active window	<b>⇧⌘</b>
Go to line	<b>⌘L</b>
Navigate back / forward	<b>⌘⌘← / ⌘⌘→</b>
Navigate to last edit location	<b>⌘⇧⌘</b>
Select current file or symbol in any view	<b>⌘F1</b>
Go to declaration	<b>⌘B, ⌘Click</b>
Go to implementation	<b>⌘⌘B</b>
Open quick definition lookup	<b>⌘Space, ⌘Y</b>
Go to type declaration	<b>⌘⇧B</b>
Go to super-method or super-type	<b>⌘U</b>
Go to previous / next declaration	<b>⌘↑ / ⌘↓</b>
Move to code block start	<b>⌘]</b>
Move to code block end	<b>⌘[</b>
File structure popup	<b>⌘F12</b>
Next / previous highlighted error	<b>F2 / ⇧F2</b>
Edit source / View source	<b>F4 / ⌘↓</b>
Show navigation bar	<b>⌘Home</b>
Toggle bookmark	<b>F3</b>
Toggle bookmark with mnemonic	<b>⌘F3</b>
Go to numbered bookmark	<b>⌘0...⌘9</b>
Show bookmarks	<b>⌘F3</b>
Find usages / Find usages in file	<b>⌘F7 / ⌘⌘F7</b>
Highlight usages in file	<b>⌘⇧F7</b>
Show usages	<b>⌘⌘F7</b>

#### COMPILE AND RUN

Select configuration and run / debug	<b>⌘⌘R / ⌘⌘D</b>
Run / Debug	<b>⌘R / ⌘D</b>
Run context configuration from editor	<b>⌘⇧R, ⌘⇧D</b>

#### VCS / LOCAL HISTORY

Commit project to VCS	<b>⌘K</b>
Update project from VCS	<b>⌘T</b>
Push commits	<b>⌘⇧K</b>
VCS quick popup	<b>⌘V</b>